

Woodtype **BEECH natural**

Description 3 layers of the same hardwood. The beech natural has a pleasant, naturally medium brown to brownish colour. The sorting Wohngefühl assortment is knotty with a medium structure.

Brinell hardness 4,0 kp
 Gross density 0,72 g | cm³

1-Strip Country House Flooring BEECH natural Wohngefühl „Graz-Seiersberg”



SURFACES

Oil | wax oxidative dried



www.bergland-parkett.at

Symbol picture - may vary in colour and structure

| Sorting guidelines | |
|--|--|
| Healthy knots | allowed (partly filled) |
| Black knots | to approx. 35 mm allowed (partly filled) |
| Healthy red heart | not allowed |
| Healthy black heart | not allowed |
| Cracks | slightly allowed (partly filled) |
| Curlted Spots differences in structure | allowed |
| Natural colour differences | allowed |
| Natural fiber orientation | to one-third allowed |
| Wormholes and insect-ate-spots | not allowed |
| Sapwood | not allowed |
| Red or brown spots | slightly allowed |
| Stains from storage and light blueness | allowed |
| Knocked spots | not allowed |
| Mirror | allowed |

| Technical data | | |
|--|----------------------------------|--------------------------------------|
| Thickness | 15 mm | Useful layer approx. 5 mm |
| Width | 150 mm | |
| Length | Lengthsystem (8 layers pkg) | 6 layers 1900 mm 2 layers 950* mm |
| Connection | Tongue and groove | |
| One layer 950* mm consists of 2 boards | | |
| m² pkg. 2,28 | | m² pal. 111,72 |
| kg pkg. 23 | | kg pal. 1127 |
| <input checked="" type="checkbox"/> Floating laying | | |
| <input checked="" type="checkbox"/> Glued laying | | |
| <input checked="" type="checkbox"/> NOT suitable for underfloor heating when gluing the entire area with solvent-free adhesives | | |

