

Woodtype **OAK european**

Description 3 layers of hardwood. The European Oak has a middle brown to intensive brown colour. The sorting Ambiente is slightly to medium knotty, with a lively structure and naturally differences of colour.

Brinell hardness 4,2 kp
 Gross density 0,71 g | cm³

1-Stab Country House Flooring OAK Ambiente City Star Bergland-Point 55°



SURFACES

- Oil | wax oxidative dried
- Brushed



www.berglund-parkett.at

Symbol picture - may vary in colour and structure

Sorting guidelines	
Healthy knots	to approx. 10 mm allowed (partly filled)
Black knots	to approx. 10 mm allowed (partly filled)
Healthy red heart	not allowed
Healthy black heart	not allowed
Cracks	not allowed
Curlted Spots differences in structure	allowed
Natural colour differences	allowed
Natural fiber orientation	allowed
Wormholes and insect-ate-spots	not allowed <small>are allowed in middle layer and back layer**</small>
Sapwood	not allowed
Red or brown spots	allowed
Stains from storage and light blueness	not allowed
Knocked spots	not allowed
Mirror	alongside and crosswise allowed

Technical data		
Thickness	15 mm	Useful layer approx. 5 mm
Width	120 mm	
Length	Lengthsystem (8 layers pkg)	8 layers 890 mm
	Lengthsystem (8 layers pkg)	2-3 pieces 980x14x4 mm
Connection	Tongue and groove	Due to the technical drying, there are no longer any pests, only the holes in the middle layer and back layer**
m² Pkg. 0,85		m² Pal. 41,65
kg Pkg. 8		kg Pal. 392
<input checked="" type="checkbox"/> Glued laying		
<input checked="" type="checkbox"/> Suitable for underfloor heating <small>when gluing the entire area with solvent-free adhesives</small>		

